

EAST SEARCH

2/24/06

L#	Hits	Search String	Databases
S1	12	5,293,479.pn. or "5,227,983".pn. or "4,885,694".pn. or "6,131,077".pn. or "6,169,987".pn. or "z	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	338596	(design\$3 or configur\$5) near2 (system\$1 or network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	688073	(design\$3 or configur\$5) with (system\$1 or network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	31006	(automat\$3 or computeriz\$3 or interactive or (computer near2 (based or implemented))) with (US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	6134	S4 and (receiv\$3 near2 input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	3520	S4 and ((specify\$3 or specification or select\$3) near2 (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	1272	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	2190	S4 and ((attribute\$1 or feature\$1 or proper\$3 or charcateristic\$1) near2 (element\$1 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	410	component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	964	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	781	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	2197	S7 or S10 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	1326	S12 and ((schematic\$1 or layout\$1 or drawing\$1) with (element\$1 or component\$1 or system;	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	1457	S9 or S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	48	S14 and (operational near2 (context\$1 or scenario\$1 or situation\$1 or environment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	213	S14 and (output\$3 near2 (report\$1 or graphical or schematic\$1 or list\$1 or schedule\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	845	S14 and ("user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	155	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	488	S14 and ((specify\$3 or specification or select\$3) near2 (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	85	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	88	S14 and ((mass or energy or air or water or heat) with transport\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	458	S14 and (cool\$3 or heat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	47	S14 and (vendor\$1 with product\$1 with (attribute\$1 or feature\$1 or proper\$3 or charcateristic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	199	S14 and (updat\$3 with (attribute\$1 or feature\$1 or proper\$3 or charcateristic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	87	S14 and (communicat\$3 with (user1 or vendor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	21	S14 and (plac\$3 with order\$1 with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	6	S14 and (download\$3 with product\$1 with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	1	S14 and (download\$3 with software with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	153	S14 and (software with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	1	S14 and (HVAC with parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	0	S14 and (HVAC with (loading or load\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	363	S14 and ("computer aided design" or CAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	179	S14 and (product\$1 with sale\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	135	S14 and ((fees or commission\$1 or charge\$1) with (vendor\$1 or user\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	280	S14 and (performance with (report\$1 or analysis or analyses))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S37	5	S14 and ((attribute\$1 or feature\$1 or property\$3 or characteristic\$1) with sort\$3 with product\$1; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S38	5	S14 and ((attribute\$1 or feature\$1 or property\$3 or characteristic\$1) with filter\$3 with product\$1; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S39	48	S14 and (palette\$1 with icon\$1)
S40	996	S14 and (connect\$3 with (element\$1 or component\$1))
S41	506	S14 and (database with (element\$1 or component\$1))
S42	73	S14 and ((attribute\$1 or feature\$1 or property\$3 or characteristic\$1) with default with (parameter\$1; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	319	S14 and (validate\$3 with (system or design or configuration))
S44	0	S14 and (vendor with product\$1 with parameter\$1)
S45	226	S14 and (performance with (requirement\$1 or specification\$1))
S46	375	S15 or S20 or S21 or S23 or S25 or S39 or S42
S47	663	S16 or S24 or S29 or S34 or S35 or S45
S48	384	S40 and S41
S49	392	S17 and S41
S50	1168	S19 or S22 or S33 or S36 or S43 or S48 or S49
S51	60	S26 or S27 or S28 or S30 or S32 or S37 or S38
S52	316	S46 and S47
S53	304	S50 and S52
S54	324	S51 or S53
S55	29	S14 and (HVAC)
S56	31006	(automat\$3 or computeriz\$3 or interactive or (computer near2 (based or implemented))) with (
S57	6134	S55 and (receive\$3 near2 input\$1)
S58	3520	S55 and ((specify\$3 or specification or select\$3) near2 (element\$1 or component\$1))
S59	1272	S56 and S57
S60	2190	S55 and ((attribute\$1 or feature\$1 or property\$3 or characteristic\$1) near2 (element\$1 or component\$1 or system\$1; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	410	S58 and S59
S62	964	S57 and S59
S63	781	S56 and S59
S64	2197	S58 or S61 or S62
S65	1326	S63 and ((schematic\$1 or layout\$1 or drawing\$1) with (element\$1 or component\$1 or system\$1; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	1457	S60 or S64
S67	48	S65 and (operational near2 (context\$1 or scenario\$1 or situation\$1 or environment\$1))
S68	213	S65 and (output\$3 near2 (report\$1 or graphical or schematic\$1 or list\$1 or schedule\$1))
S69	845	S65 and ("user interface")
S70	488	S65 and ((specify\$3 or specification or select\$3) near2 (position\$1 or location\$1))
S71	85	S67 and S69
S72	88	S65 and ((mass or energy or air or water or heat) with transport\$5)
S73	458	S65 and (cool\$3 or heat\$3)
S74	47	S65 and (vendor\$1 with product\$1 with (attribute\$1 or feature\$1 or property\$3 or characteristic\$1))
S75	199	S65 and (update\$3 with (attribute\$1 or feature\$1 or property\$3 or characteristic\$1))
S76	87	S65 and (communicat\$3 with (user\$1 or vendor\$1))
S77	21	S65 and (plac\$3 with order\$1 with vendor\$1)
S78	6	S65 and (download\$3 with product\$1 with vendor\$1)
	1	S65 and (download\$3 with software with vendor\$1)

S79	153	S65 and (software with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S80	1	S65 and (HVAC with parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S81	29	S65 and (HVAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S82	363	S65 and ("computer aided design" or CAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S83	179	S65 and (product\$1 with sale\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S84	135	S65 and ((fees or commission\$1 or charge\$1) with (vendor\$1 or user\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S85	280	S65 and (performance with (report\$1 or analysis or analyses))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S86	5	S65 and ((attribute\$1 or feature\$1 or property\$3 or characteristic\$1) with sort\$3 with product\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S87	5	S65 and ((attribute\$1 or feature\$1 or property\$3 or characteristic\$1) with filter\$3 with product\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S88	48	S65 and (palette\$1 with icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S89	996	S65 and (connect\$3 with (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S90	506	S65 and (database with (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S91	73	S65 and ((attribute\$1 or feature\$1 or property\$3 or characteristic\$1) with default with (parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S92	319	S65 and (validate\$3 with (system or design or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S93	226	S65 and (performance with (requirement\$1 or specification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S94	375	S66 or S70 or S71 or S73 or S75 or S88 or S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S95	663	S67 or S74 or S79 or S83 or S84 or S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S96	384	S89 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S97	392	S68 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S98	1168	S69 or S72 or S82 or S85 or S92 or S96 or S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S99	60	S76 or S77 or S78 or S80 or S81 or S86 or S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S100	316	S94 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S101	304	S98 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S102	324	S99 or S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S103	29	S65 and (HVAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S104	40	S101 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S106	8	S65 and (heating near2 ventilating near2 conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S107	10	S63 and (heating near2 ventilating near2 conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S105	324	S101 or S104 or S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S108	52	S55 and (heating near2 ventilating near2 conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S109	2853	(heating near2 ventilating near2 "air conditioning")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S110	4274	hvac near2 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S111	5993	S109 or S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S112	13	S111 and ((automated or computerized or "computer based") near2 (design or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S113	87	S111 and ((predict\$3 or forecast\$3 or estimate\$3 or computation\$3 or computation\$3) near2 (perform\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S114	195	S111 and (design near2 (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S115	16	S113 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S116	4080	S111 and (element\$1 or component\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S117	83	S113 and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S118	99	S112 or S113 or S115 or S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S119	2853	(heating near2 ventilating near2 "air conditioning")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S120	4274	hvac near2 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S121	5993	S119 or S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

